



Products & Solutions

For Home

For Work

Support

[Home](#) > [For Home](#) > [Product Finder](#) > [Digital Personal Copier](#) > [PC-D440](#)

• [Product Finder](#)

• [Compare Products](#)

• [You Connect](#)

• [Creative Park](#)

• [CANON iMAGE GATEWAY](#)

• [Self Service](#)

• [New Products](#)

• [The Canon Store](#)

PC-D440 new

• [Drivers & Software](#) ▶

Product Specification

Machine type	Mono Laser Digital Copier
Available functions	Copy, Print and Scan
Copier	
Copy speed	Up to 22 cpm (A4)
First Copy Output Time (FCOT)	Approx. 9 seconds or less
Copy resolution	Up to 600 x 600 dpi
Copy modes	Text, Text/Photo, Text/Photo+, Photo
Double sided copying	1-sided to 2-sided (Manual)
Multiple copy	Up to 99 copies
Reduction / Enlargement	50-200% in 1% increments
Toner saver mode	Yes
Other features	Automatic & Manual Exposure, Collate, 2 on 1, ID Card Copy

Printer

Print speed	Up to 22 ppm (A4)
Printing method	Monochrome laser beam printing
Print quality	Up to 1200 x 600 dpi with Automatic Image Refinement
Print resolution	600 x 600 dpi
Double sided printing	Automatic
Printer languages	UFRII-LT
Print margins	6 mm-top and bottom, 5 mm-left and right
Toner saver mode	Yes

Scanner

Type	Colour
Scan resolution	Optical: Up to 600 x 1200 dpi Enhanced: Up to 9600 x 9600 dpi
Colour scanning depth	24 bit/24 bit (input/output)
Greyscales	256 levels
Compatibility	TWAIN, WIA

Downloads

[Brochures](#)
[Drivers](#)

Related Products


[Analogue Personal Copiers](#)
[PIXMA Photo All-in-Ones](#)
[Bubble Jet Faxes](#)
[Laser Faxes](#)

Max. scan width	216 mm
Media handling	
Scanner type	Flatbed and Automatic Document Feeder (ADF)
Paper input (Standard)	250-sheet tray 1-sheet manual feed slot 35-sheet ADF
Paper output	100-sheet
Media types	Plain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope,
Media sizes	Tray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, ISO-C5), LTR, LGL, Custom sizes: Width 76 to 216 mm; Length 127 to 356 mm. Manual feed slot: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, ISO-C5), LTR, LGL, Custom sizes: Width 76 to 216 mm; Length 127 to 356 mm. ADF: A4, A5, Legal, Letter, Custom (W x L): Max 216 x 356 mm Min 105 x 148.5 mm.
Media weights	Tray: 64 to 128 g/m ² Manual feed slot: 64 to 163 g/m ² ADF: 40 to 105 g/m ²
Interface & Software	
Interface type	USB 2.0 Hi-speed
Operating System compatibility	Windows 2000/ XP/ Vista/ 7 Mac OS X version 10.4.9-10.6.x ¹ Linux ¹
Software and printer management	Presto! Page Manager, MF Toolbox
General features	
Warm-up Time	Approx. 10 seconds from power on
Memory	32 MB (shared)
Control panel	16 characters x 2 lines backlit LCD
Dimensions with trays (W x D x H)	390 mm x 432 mm x 455 mm
Installation space (W x D x H)	390 mm x 813 mm x 588 mm
Weight	Approx 12.75 Kg

Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)
Power Source	220-240 V (±10%), 50/60 Hz (±2 Hz)
Power Consumption	Maximum: Approx. less than 650 W Standby: Approx. less than 9 W Sleep mode: Approx. 3 W Typical Electricity Consumption (TEC): 0.872 kWh/week
Noise Levels	Sound Pressure ¹ Active: 63.5 dB(A) or less Standby: Inaudible
Consumables	
Cartridges	Cartridge FX10 (2,000 pages ¹)

Operating System compatibility	¹ Web distribution only
Noise Levels	¹ Declared noise emission in accordance with ISO 9296
Cartridges	¹ Based on 5% coverage (A4)

All specifications subject to change without notice

 Print this page ▶



you can